SMART SOLUTION

2022

ERIK C ®

c o n c e p t s

Connect things

CONTENTS

Smart Lighting

Detectors & Sensors

Home Security

Locks & Garage Doors

Lighting

Thermostat

Lighting

Video Camera

Dimmer, Switch & Outlets

Smart lighting

Smart lighting solutions which give you full control, via your smart device, of the on/off, dimming and scene setting of the environment, its ease of use, simple installation and scalability makes Yourlite perfect for an endless list of applications.

ERIK C concepts | www.erikcc.com

How it works

Cloud

Phone

Router

Wi Fi Products

zigbee Products

Gateway

Bluetooth Products

Bluetooth Mesh Products

Multi Communication Mode Module

Professional intelligent enabling lighting products

Wi Fi

· Remote control through router without gateway.
· Low user threshold, simple operation.
· Various types of products can be interconnected.
· OTA upgrade flexible.

zigbee

· The system is mature, stable and reliable.
· Gateway can realize local linkage.
· The number of connected devices is large and the distance is far.
· It can be upgraded by OTA.

Bluetooth

· Mobile direct connection and gateway connection are optional.
· It has the lowest cost and great advantage.
· It is suitable for independent small system without network.

Bluetooth Mesh

· Mobile direct connection and gateway connection are optional.
· Many-to-many device communication can be realized,
  which helps build a large-scale device network that requires
  tens or hundreds of nodes.
· It is suitable for independent small system without network.

Our Technology

· Using existing modules to develop products.
· Using blank module, independent firmware seconary
  devel opment, realize the difference between function
  and APP.
· Realize chip board technology and reduce cost.
· Chip independent procurement, docking cloud services,
  software code autonomy.

5 Networking module available

Wifi & Bluetooth	Wifi	Zigbee

Bluetooth	Bluetooth Mesh

Connect Instruction

1. Switch three times to ensure the flashing state of the light source.

2. Open TUYA APP and click the plus sign in the upper right corner.

3. Select lighting to connect applications.

4. Connect light bulbs only via WiFi for the first time, please make sure that the light is quickly flashing, and WiFi password you inputted is correct.

5. After the device is connected successfully, tap "Devices" at the bottom. The device name of the smart lamp shows in the list. Tap it to enter the control panel of the smart lamp.

Available on the App Store

Available on the Android Market

ERIK C concepts | www.erikcc.com

03

Gentle

Dazzling

Colorful

Magic

Ocean

Sunrise

Sunset

Music

Joy starts from the moment

Gently Nature light creates a relaxed and cheerful atmosphere.
Nothing gives you a better life than a special light at night.
4 colors / Support for DIY customization / Music rhythm function.

Timing Control

Scene Pattern

Color Control

Brightness
&CCT Adjustment

Home Page

ERIK C | www.erikcc.com
concepts

04

Color temperature adjustment
enjoy the warm life of light

Spring (Neutral) Color temperature.
Neutral bright white light, feel the breath of spring germination.

Summer (Cool) Color temperature.
Cold white light is like a refreshing breeze when you open the freezer.

Autumn (Neutral) Color temperature.
Slightly warm sunlight is like the joy of autumn harvest.

Winter (Warm) Color temperature.
Golden light exudes the warmth of a fireplace in winter.

Warm light   Cold light

ERIK C® concepts | www.erikcc.com

Biological law
return to nature's ecological light environment

7:00am
Start a day of energy

9:00am
devote yourself
to focused work

5:00pm
relax and adjust
in the afternoon

8:00pm
prepare to rest
in the evening

night
A good sleep
Low brightness, low light
Sleep uninterrupted

In the morning
The best part of a day is in the morning
Cold light colors are protected from attack
Energize your body

day
Need to rest and adjust
Cold light changes to warm light
Reduce brightness

In the evening
relax
Warm light
Melatonin begins to secrete

MLT   cortisol

Sharing the joy of technology
Warming up the home enviornment

Security Automation
Home lights flashes red to alarm, while camera captures human activities.

Scene Automation
Turn on the light when sensor detects a person passing by, turn off the light after 30 seconds automatically.

ERIK C concepts | www.erikcc.com

zigbee **WiFi**

- Tuya WiFi light sensor;
- Input voltage 12V;
- Sensing Range: 1~1000lux;
- It can be linked with intelligent lighting products;
- Size: 58*33*16mm.

Illumination Sensor

Item No.	Type	Color	Input Voltage	Size
Smart-OT706-WF	Wifi	White	12V	58*33*16mm
Smart-OT706-ZGB	ZigBee	White	12V	58*33*16mm

ERIK C | www.erikcc.com

c o n c e p t s

CE ✓ RoHS RED

zigbee **WiFi**

- Communication protocol: WiFi (only support 2.4G, not 5G) or ZigBee;
- Detection distance: Max 8m;
- Detection angle: horizontal angle 110 degrees, vertical angle 110 degrees;
- Installation method: mounting bracket or 3M glue;
- Intrusion reminder: APP reminder (no sound and light reminder)
- With battery low voltage reminder function: APP reminder (no sound and light reminder);
- Battery: 3 × AAA batteries, DC4.5v, for about 18 months;
- Material: Polycarbonate.

PIR Human Body Infrared Sensor

Item No.	Type	Color	Detection Angle	Size
Smart-RT6001-WF	Wifi	White	110°	64*64*80mm
Smart-RT6001-ZGB	ZigBee	White	110°	64*64*80mm

CE RoHS RED FC TÜV

110°

ERIK C concepts | www.erikcc.com

Wi Fi

- Communication protocol: WiFi (only supports 2.4G, not 5G);
- Detection range: 360°;
- Power supply: 110-130Vac, 220-240Vac;
- Rated load: Max 1000 W (110 - 130 Vac); 2000 w (220 - 240 Vac);
- Detection distance: Max 8m (< 24 ℃);
- Time delay: 10sec ± 3sec ~ 30min ± 2min (adjustable);
- Ambient light: < 3-2000lux (adjustable);

Smart strong electric infrared motion sensor

Item No.: Smart-RT6006-WF-GW	Ambient Light: <3-2000LUX (adjustable)
Detection Angle: 360°	Time Delay: 10sec±3sec to 30min±2min(adjustable)
Detection Distance: MAX.8m	Power Source: 110-130V/AC 220-240V/AC
Material: PC	Rated Load: Max.1000W (110-130V/AC)
APP: Support IOS and Android	2000W (220-240V/AC)

Smart strong electric infrared motion sensor

Item No.: Smart--RT6007-WF-GW	Ambient Light: <3-2000LUX (adjustable)
Detection Angle: 360°	Time Delay: 10sec±3sec to 30min±2min(adjustable)
Detection Distance: MAX.8m	Power Source: 110-130V/AC 220-240V/AC
Material: PC	Rated Load: Max.1000W (110-130V/AC)
APP: Support IOS and Android	2000W (220-240V/AC)

ERIK C concepts | www.erikcc.com

CE ✓ RoHS RED

zigbee **WiFi**

- Communication protocol: WiFi (only support 2.4G, not 5g) or ZigBee;
- Double induction probe;
- Installation angle: any angle;
- Water leakage reminder: alarm + APP reminder;
- It has the function of battery low voltage reminder: local reminder + APP reminder;
- Alarm DB: 90dB@3 inch;
- Battery: 3 × AAA batteries, DC4.5V, for about 24 months;
- Material: Polycarbonate.

Water Flood Sensor

Item No.	Type	Color	Alarm dB	Size
Smart-SQ5001-WF	Wifi	White	90dB	90*30mm
Smart-SQ5001-ZGB	ZigBee	White	90dB	90*30mm

CE ✓RoHS RED FC TÜV

ERIK C | www.erikcc.com
concepts

Wi Fi

- Communication protocol: WiFi (only support 2.4G, not 5G);
- The effective sensing distance between product main body and accessories is about 1.27cm;
- Installation angle: the main body and accessories are installed on the same horizontal plane and can be fixed with 3M glue;
- Intrusion reminder: APP reminder (no sound and light reminder) ;
- With battery low voltage reminder function: APP reminder (no sound and light reminder) ;
- Battery: 2 × AAA batteries, DC4.5v, for about 12 months;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Magnetic Door/Window Sensor

Item No.	Type	Battery	Sensing Distance	Size
Smart-MC8007-WF	Wifi	2 × 3A, DC4.5v	About 1.27cm	80*29*21mm 46*14*15mm

ERIK C concepts | www.erikcc.com   CE ✓RoHS ErP △ RED FC TÜV

zigbee

- Communication protocol: ZigBee;
- The effective sensing distance between product main body and accessories is about 1.27cm~2.54cm;
- Installation angle: the main body and accessories are installed on the same horizontal plane and can be fixed with 3M glue;
- Intrusion reminder: APP reminder (no sound and light reminder);
- With battery low voltage reminder function: APP reminder (no sound and light reminder);
- Battery: 1xCR2032, DC3V;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Magnetic Door/Window Sensor

Item No.	Type	Battery	Sensing Distance	Size
Smart-MC8001-ZGB	ZigBee	1xCR2032, DC3V	About 1.27cm~2.54cm	56*28*14mm 38*14*11mm

CE RoHS ErP RED FC TÜV

⊘ zigbee

- Communication protocol: WIFI or ZigBee;
- Temperature display accuracy: 0.1 ℃;
- Humidity measurement range: 0-99% RH, resolution 1% RH;
- Installation mode: placed at any angle;
- LCD screen: temperature, humidity, electricity display, comfort display;
- The normal standby time is more than 12 months;
- Battery: 1xCR2032, DC3V;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Temperature and Humidity Sensor

Item No.	Type	Battery	Humidity Measurement	Size
Smart-WSD7001-ZGB	ZigBee	1xCR2032, DC3V	0-99%RH	45*45*13mm

zigbee

- Function: TUYA smart WiFi / ZigBee;
- Size: 37.15*13.45*130.2mm;
- Weight: 31g;
- Material: ABS, PC + 15% titanium dioxide, silicone, SUS304, titanium steel;
- Working voltage: 2.3V ~ 3.1V (2 x AAA batteries);
- Warranty: 2 years;
- Key working life: 10000 times;
- Working temperature: - 20 ℃ ~ 55 ℃;
- Working humidity: 65% ± 20% RH.

Remote Control

Item No.	Type	Color	Key Lifetime	Size
Smart-OTR7201-ZGB	ZigBee	White/Black	10000	37.2×3.5×130.2mm

CE ✓ RoHS RED

ERIK C concepts | www.erikcc.com

WiFi

- Support Tuya WiFi;
- Support night vision function;
- Infrared night vision range: within 10-15m;
- Support TF Card (8-128G) and cloud storage;
- Support two-way voice communication;
- Support motion detection alarm and mobile phone alarm reminder;
- Power adapter: input voltage: 100-240V / 50-60Hz; output voltage 5V / 1.5A.

Smart Camera

Item No.: Smart-CNI01	Rotation angle: Horizontal: 355°
Resolving power: 720P/1080P	Vertical: 90°
Support body tracking	Power adapter: Input voltage(100-240V/50-60HZ)
With disk bracket & power adapter	Output voltage(5V/1.5A)

Smart Camera

Item No.: Smart-CNI02	Rotation angle: Horizontal: 355°
Resolving power: 720P/1080P	Vertical: 90°
Support body tracking	Power adapter: Input voltage(100-240V/50-60HZ)
With disk bracket & power adapter	Output voltage(5V/1.5A)

Smart Camera

Item No.: Smart-CNI04	Rotation angle: Manual adjustment
Resolving power: 720P/1080P/3MP	Power adapter: Input voltage(100-240V/50-60HZ)
With disk bracket	Output voltage(5V)

ERIK C concepts | www.erikcc.com

CE ✓ RoHS RED

WiFi

- Huawei Hisilicon chip, low power consumption, long life;
- Resolution: 1920 * 1080;
- The angle of the lens: 166 degrees;
- Six 850mm infrared lamps;
- WiFi: supports 802.11 b/g/n;
- Audio two-way intercom, built in echo cancellation;
- Recording: SD card recording and VOD;
- Storage: 8G／16G／32G／64G;
- Batteries: 2*18650 batteries (optional);
- Motion detection, PIR infrared detection;
- Wake up mode: key wake-up, PIR detection wake-up, mobile phone wake-up;
- Push within 1sec;
- Power consumption: standby current 250uA, working current 170mA, rechargeable (8V ~ 24V AC charging).

Smart Cat Eye Visual Door Bell				
Item No.	Type	Color	Resolution	Memory card
Smart-DB001is-ubox	Wifi	Black	1920*1080	SD card

Bidirectional Speech   APP Real Time Viewing   Infrared Night Vision   Movement Detection

CE ✓ RoHS RED

ERIK C | www.erikcc.com
concepts

Bluetooth®

- Identification method: fingerprint, card, smart phone;
- Standard lock body: single pin lock body / 60-70mm adjustable;
- Door thickness: 30-80mm;
- Material: zinc alloy / alum alloy / PC + ABS fireproof material;
- Capacity: fingerprint < 50 pcs;
- Battery: 3.3v/2 * alkaline rod
- Sound and light alarm: color light / buzzer
- Working temperature: -20℃ ~ +65℃;
- Certification: ga701-2007 / CE-RED / FCC / RoHS / SRRC.

Smart Door Lock				
Item No.	Type	Color	Battery	Capacity
Smart-SK001BL	Bluetooth	Black	3.3V/2* Alkaline Rod	100 computers

Fingerprint

APP

ERIK C® concepts | www.erikcc.com

CE ✓RoHS RED

WiFi **zigbee**

- Control by APP without touching.
- Works with Amazon Alexa, Google Home, you can control your switch by hands-free.
- The switch adopts the toughened glass manufacturing, make the switch much more modern and the hardness is further strengthened, so as to completely prevent scratching and fire.

- Timing, count-down function, can be allowed to DIY your own on-off style.
- Soft light LED indicator light, easy to turn on at night.
- Stable and durable touch performance, touch life of more than 100000 times.

1 gang   2 gang   3 gang

Smart Touch Switch

Item No.: Smart-WSG01   Wattage: MAX1000W
Voltage: AC100-240V   Material: Flame Retardant PC+Toughened Glass
Color: White/Black   Size: 86*86*36mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

WiFi **zigbee**

- Control by APP without touching.
- Works with Amazon Alexa, Google Home, you can control your switch by hands-free.
- Make sure your smart light always on-line.
- Comfortable feel pass it to your fingertips.

- Timing, count-down function, can be allowed to DIY your own on-off style.
- Soft light LED indicator light, easy to turn on at night.
- Stable and durable touch performance, touch life of more than 100000 times.

1 gang   2 gang   3 gang

Resilient Smart Wall Switch

Item No.: Smart-WSG04	Wattage: MAX1000W
Voltage: AC220-240V	Material: PC
Color: White	Size: 86*86*41mm

ERIK C concepts | www.erikcc.com

CE RoHS ErP RED

WiFi **RF ·)**

• The installation is fast and convenient, which reduces the noise and dust pollution during installation.
• It can match any number of combinations within 20, add switches and so on, and it doesn't need to rectify the circuit. It can be used after pairing, bringing a lot of fun and convenience to life.
• The switch does not need to be equipped with batteries, and has a built-in micro energy kinetic energy acquisition module, with a service life of 5-10 years.
• The switch installation does not need wiring to the switch, and it is controlled by 433MHz RF, which saves a lot of time for wall cutting and pipe laying and material cost
• No need to install on the wall.
• IPX5

Intelligent Controller

1 gang   2 gang   3 gang

Wireless Kinetic Energy Switch

Item No.: Smart-WSG02	Power Mode: Self Generating
Work Type: Reset Switch	Distance: 30m (indoor), 100m (outdoor)
Working Frequency: 433MHz	Controller Voltage: AC100-240V
Transmit Power: +110dbm	Color: White/Support customer customization
Material: PC	Controller Size: 60*32*23mm
Lifetime: 100000 times	Size: 86*86*13.9mm

CE ✓RoHS ErP RED

ERIK C° concepts | www.erikcc.com

• The smart socket combined with APP can more easily manage the useful equipment in the home. The remote control function can conveniently switch on and off the electrical equipment in the home. It has timing and countdown functions, which can make the home appliances automatically turn on or off.

• Four USB charging ports, smart chip automatically distributes power, supporting mobile phone and flat panel fast charging.

• Through intelligent voice speaker, voice control socket switch can be realized without hands.

• The safety protection door can avoid the electric shock hazard caused by the insertion of fingers or small objects.

• Support 2.4A fast charging.

• Support over-current and overload protection.

• Non slip foot pad, can be placed on any desktop.

• Soft light design of indicator light, gentle guidance at night, no interruption when falling asleep.

WiFi

German   French   British

Specifications

Voltage: AC100-240V	Max Power: 2400W
Max Current: 10A	USB Output: USB 5V/2.4A*4
Color: White	Material: PC+ABS
Wire Size: 0.75mm²/1mm²/1.5mm²	Line Length: 1.5m/1.8m/3m

USB Socket

Item No.	Type	Size
Smart-SFG01-4H	German	335*65*41mm
Smart-SFF01-4H	French	335*65*41mm
Smart-SFE02-4H	British	428*62.3*32.8mm

ERIK C® concepts | www.erikcc.com

CE   RoHS ✓   ErP   RED

WiFi

- Intelligent plug is combined with APP, it has timing and countdown function, remote control function can easily switch home electrical equipment.
- One key switch, no need to plug.
- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your switch by hands-free.
- Support to check the power consumption report in APP and accurately grasp the electricity consumption.
- The safety protection door can avoid the risk of electric shock caused by the insertion of fingers or small objects.
- Support over-current and overload protection.

Soft lighting design of indicator light.

WIFI Plug · Argentina

Item No.: Smart-PFW03-R	Max Power: 2400W
Voltage: AC110-240V	Material: PC
Max Current: 10A	Size: 53.6*45.6*50.2mm

WIFI Plug · British

Item No.: Smart-PFW02-E	Max Power: 2990W
Voltage: AC100-240V	Material: PC
Max Current: 13A	Size: 57*57*61mm

WIFI Plug

Item No.: ST-PAS3005C-3680W3-WF	Max Power: 3680W
Voltage: AC220-240V	Material: PC
Max Current: 16A	Size: 97*50*82mm

WIFI Plug · German

Item No.: Smart-PFW04-G	Max Power: 3680W
Voltage: AC100-240V	Material: PC
Max Current: 16A	Size: 52*52*83mm

WIFI Plug

Item No.: ST-PAS3005C-3680W3-WFU	Max Power: 3680W
Voltage: AC220-240V	Material: PC
Max Current: 16A	Size: 75*52*82mm
USB: 5V/2.4A	TYPE-C: 5V/2.4A

WIFI Plug · French

Item No.: Smart-PFW04-F	Max Power: 3680W
Voltage: AC100-240V	Material: PC
Max Current: 16A	Size: 52*52*80mm

CE RoHS ErP RED

Smart-DCA321C

Wi-Fi smart switch
Model: ST DCA311W 1000W3 WF 2G G1
Wi-Fi : IEEE 802.11 b/g/n
Input : AC90-250V50/60Hz
Maximum load :
500W*2 for resistance load only
150W*2 for LED load only
Maxumun current : 5A*2

Smart-DCA311W

Wi Fi

- You can conveniently control your devices via App or voice
- Ultra-thin design, 26% thinner than other conventional commutators
- Easy to install, the installaton is fast and convenient
- Multiple applications, ideal for single control switch, dual control switch, sockets, lamps, etc.
- Work temperature: -25-40°C
- IP20

| App Smart Control | Voice Control | Timing | Dimming | Group Control | Function Sharing | Metering |

Wifi Switch Module

Item No.	Maximum Load	Maxumun Current	Material	Work temperature
Smart-DCA321C	2200W	10A	ABS	-25-40°C
Smart-DCA311W	1000W	5A	ABS	-25-40°C
Smart-DCA311W	500W*2	5A*2	ABS	-25-40°C
Smart-DCA311W	750W	3A	ABS	-25-40°C
Smart-DCA311W	150W	0.7A	ABS	-25-40°C
Smart-DCA311W	150W*2	0.7A*2	ABS	-25-40°C

ERIK C concepts | www.erikcc.com

CE RoHS ErP RED

Wi-Fi smart switch

1CH Wi-Fi Dimmer Module

Dimmer Bedroom

Brightness: 100%

Power   Schedule   Timer   setting

WiFi **Bluetooth Mesh**

- **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
- **Multiple scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
- **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 230V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF≥0.5/0.7

LED Bulb · RGB+CCT+DIM · A60

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2101E-WF5	9W	806lm	220°	Ø60*118mm
Smart-LB2101E-WF5	11W	1050lm	220°	Ø60*125mm
Smart-LB2101E-WF5	15W	1350lm	220°	Ø65*132mm

LED Bulb · RGB+CCT+DIM · C37

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2201E-WF5	5.5W	400lm	180°	Ø37*110mm

LED Bulb · RGB+CCT+DIM · G45

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2301E-WF5	5.5W	400lm	180°	Ø45*80mm

LED Halogen Bulb · RGB+CCT+DIM · GU10

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LC2201E-WF5	5.5W	400lm	120°	Ø50*56mm

LED Bulb · RGB+CCT+DIM · G95

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2301E-WF5	9W	806lm	270°	Ø95*142mm
Smart-LB2301E-WF5	13W	1260lm	270°	Ø95*142mm

CE RoHS ErP2.0

ERIK C | www.erikcc.com
concepts

Wi Fi **Bluetooth Mesh**

· **CCT+DIM** Not only can change color temperature, but also can change brightness steplessly and smoothly
· **Multi scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
· **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 230V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF>0.5

LED Bulb · CCT+DIM · A60

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2101E-WF2	9W	806lm	220°	Ø60*118mm

LED Halogen Bulb · CCT+DIM · GU10

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LC2201E-WF2	5.5W	400lm	120°	Ø50*56mm

LED Bulb · CCT+DIM · C37

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2201E-WF2	5.5W	400lm	180°	Ø37*110mm

LED Bulb · CCT+DIM · G45

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2301E-WF2	5.5W	400lm	180°	Ø45*80mm

CE RoHS ErP2.0

⊛Bluetooth® Beacon

· **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
· **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 230V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF≥0.5

LED Bulb · RGB+CCT+DIM · A60

Item No.	Type	Wattage	Lumen	Beam angle	Size
Smart-LB2101E-BB5	Beacon	9W	806lm	220°	Ø60*118mm

WiFi **zigbee**

· **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
· **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 100V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF≥0.5

LED Bulb · RGB+CCT+DIM · A60

Item No.	Type	Wattage	Lumen	Beam angle	Size
Smart-LB2101J-WF5	WiFi+Bluetooh	9W	806lm	220°	Ø60*118mm
Smart-LB2101J-ZG5	Zigbee	9W	806lm	220°	Ø60*118mm

WiFi **Bluetooth Mesh**

• **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
• **Multi scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
• **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 100-240V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	

LED Bulb · RGB+CCT+DIM · A60

Item No.	Type	Wattage	DF	Lumen	Beam angle	Size
Smart-LB2101W2-WF5	WiFi+Bluetooh	9W	≥0.7	806lm	220°	Ø60*118mm

LED Halogen Bulb · CCT+DIM · GU10

Item No.	Type	Wattage	DF	Lumen	Beam angle	Size
Smart-LC2201W2-WF5-G3	WiFi+Bluetooh	5W	≥0.5	400lm	120°	Ø50*67mm
Smart-LC2201W2-WF5-G5	WiFi+Bluetooh	5W	≥0.5	400lm	120°	Ø50*55mm

ANATEL

ERIK C concepts | www.erikcc.com

Wi Fi **Bluetooth Mesh**

- **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
- **Multi scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
- **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 110-130V	Material: PA+ALU+PC
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF>0.5

LED Bulb · RGB+CCT+DIM · A60

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2101U-WF5	9W	806lm	220°	Ø60*118mm
Smart-LB2101U-WF5	15W	1500lm	220°	Ø65*131mm
Smart-LB2101U-FSWF5	9W	806lm	220°	Ø60*118mm

LED Bulb · RGB+CCT+DIM · C37

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LB2201U-WF5	5.5W	400lm	180°	Ø37*110mm

LED Halogen Bulb · RGB+CCT+DIM · GU10

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LC2201U-WF5	5W	400lm	120°	Ø50*56mm

LED Bulb · RGB+CCT+DIM · BR30

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LC2801U-WF5	9W	806lm	180°	Ø95*125mm
Smart-LC2801U-FSWF5	9W	806lm	180°	Ø95*125mm

UL FC

Wi Fi · **Bluetooth® Mesh**

- **CCT+DIM** Not only can change color temperature, but also can change brightness steplessly and smoothly
- **Multi scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
- **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 110-130V   Material: PA+ALU+PC

Life time: 20000h   Ra: ≥80

LED Chip: SMD2835   DF≥0.5

LED Bulb · CCT+DIM · A60

Item No.	Type	Wattage	DF	Lumen	Beam angle	Size
Smart-LB101WF2	WiFi+Bluetooh	9W	≥0.5	806lm	220°	Ø60*118mm
Smart-LB101WF2	WiFi+Bluetooh	11W	≥0.5	1050lm	220°	Ø60*118mm

UL FC

ERIK C® | www.erikcc.com
concepts

Wi Fi **✷Bluetooth Mesh**

- **Multiple scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
- **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app

Specifications

Voltage: 220-240V	Material: GLASS
Life time: 20000h	Ra: ≥80
LED Chip: SMD2835	DF≥0.5

LED Halogen Bulb · RGB+CCT+DIM · GU10

Item No.	Type	Wattage	Lumen	Beam angle	Size
Smart-LC2261E-WF5	WiFi+Bluetooh	4.9W	400lm	120°	Ø50*54mm

LED Halogen Bulb · CCT+DIM · GU10

Item No.	Type	Wattage	Lumen	Beam angle	Size
Smart-LC2271E-WF2	WiFi+Bluetooh	4.9W	400lm	38°	Ø50*54mm

ERIK C concepts | www.erikcc.com

CE ✓ RoHS ErP2.0

- **RGB+CCT+DIM** Not only can change color and color temperature, but also can change brightness steplessly and smoothly
- **Multi scene selection** You can set your preferred mode. Great for parties, entertaining and everyday use
- **Smart control** Our smart light bulb work well with Alexa, Google Assistant, and the Smart Home app. Feel free to power your bulb on/off, and use your voice or press a button to control

Specifications

Voltage: 220-240/110-130V	Material: GLASS
Life time: 25000h	Ra: ≥80
PF＞0.5	

LED Filament · A60

Item No.	Wattage	Type	Beam angle	Size
Smart-LF101WF3	4.5W	RGB	360°	Ø60*107mm
Smart-LF101WF4	4.5W	RGBW	360°	Ø60*107mm

LED Filament · ST64

Item No.	Wattage	Type	Beam angle	Size
Smart-LF601WF3	4.5W	RGB	360°	Ø64*144mm
Smart-LF601WF4	4.5W	RGBW	360°	Ø64*144mm

LED Filament · G95

Item No.	Wattage	Type	Beam angle	Size
Smart-LF321WF3	4.5W	RGB	360°	Ø95*136mm
Smart-LF321WF4	4.5W	RGBW	360°	Ø95*136mm

LED Filament · G125

Item No.	Wattage	Type	Beam angle	Size
Smart-LF331WF3	4.5W	RGB	360°	Ø125*175mm
Smart-LF331WF4	4.5W	RGBW	360°	Ø125*175mm

CE RoHS ErP FC ETL

ERIK C concepts | www.erikcc.com

WiFi **Bluetooth Mesh**

• **CCT+DIM** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly
• **Multi scene selection** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style
• **Smart control** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free
• **Quality** Comform to CE/ROHS, which make the light more energy-saving and more brighter

Specifications

Voltage: 220-240/110-130V	Material: GLASS
Life time: 25000h	Ra: ≥80
PF＞0.5	

LED Filament · A60

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LF201WF2	5.5W	500lm	220°	Ø60*107mm
Smart-LF201WF2	6.5W	806lm	220°	Ø60*107mm
Smart-LF201WF2	7.5W	1050lm	220°	Ø60*107mm

LED Filament · C37

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LF401WF2	5.5W	500lm	220°	Ø35*120mm
Smart-LF402WF2	5.5W	450lm	220°	Ø35*120mm

LED Filament · G45

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LF301WF2	5.5W	500lm	220°	Ø45*110mm
Smart-LF302WF2	5.5W	450lm	220°	Ø45*110mm

LED Filament · ST64

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LF611WF2	5.5W	500lm	220°	Ø64*140mm
Smart-LF611WF2	6.5W	806lm	220°	Ø64*140mm
Smart-LF611WF2	7.5W	1050lm	220°	Ø64*140mm

LED Filament · G125

Item No.	Wattage	Lumen	Beam angle	Size
Smart-LF321WF2	5.5W	500lm	220°	Ø95*136mm
Smart-LF321WF2	6.5W	806lm	220°	Ø95*136mm
Smart-LF321WF2	7.5W	1050lm	220°	Ø95*136mm
Smart-LF331WF2	5.5W	500lm	220°	Ø125*176mm
Smart-LF331WF2	6.5W	806lm	220°	Ø125*176mm
Smart-LF331WF2	7.5W	1050lm	220°	Ø125*176mm

CE RoHS ErP FC ETL

ERIK C® concepts | www.erikcc.com

Light Bulb

Intelligent Lamp Holder

Traditional Lamp Holder

WiFi zigbee

The lamp cap can be installed and used without wiring.
Replaceable bulb, compatible with all kinds of energy saving lamps, LED lamps, incandescent lamps and other E27 bulbs.
Support app setting timing, automatic light off.

Intelligent plug is combined with APP, it has timing and countdown function, remote control function can easily switch home electrical equipment.
One key switch, no need to plug.
Through intelligent voice speaker, voice control switch can be realized without hands.

## Smart Lamp Holders

Item No.: Smart-LDZWF-W

Wattage: 100W

Material: PC

Size: Ø53*75mm

Voltage: 100-240V

Mode: WIFI2.4G/Bluetooth

Base: E27

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

Smart-FL1079

Smart-FL2001

Floor Lamps · CCT · DIM

Item No.	Type	Wattage	Base	Size
Smart-FL1079	Wifi	Max.40W	E27	Ø220*1480mm
Smart-FL2001	Wifi	Max.40W	E27	260*260*1600mm

ERIK C concepts | www.erikcc.com

- **CCT+DIM**- You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection**- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.

- **Smart control**- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality**- Comform to new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Garantee**- 2years.

WiFi

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: >80
LED Chip: SMD2835	DF: >0.7

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2017C-12W2-WF2	Wifi	12W	840lm	Ø260*60mm
Smart-CE2017C-18W2-WF2	Wifi	18W	1260lm	Ø330*60mm
Smart-CE2017C-24W2-WF2	Wifi	24W	1680lm	Ø380*60mm

CE RoHS ErP RED

ERIK C | www.erikcc.com
concepts

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	DF: >0.7

Ceiling Lights · RGB · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2007C-12W2-WF5	Wifi	12W	840lm	Ø260*60mm
Smart-CE2007C-18W2-WF5	Wifi	18W	1260lm	Ø330*60mm
Smart-CE2007C-24W2-WF5	Wifi	24W	1680lm	Ø380*60mm
Smart-CE2007C-36W2-WF5	Wifi	36W	2520lm	Ø380*60mm

ERIK C concepts | www.erikcc.com

CE ✓ RoHS ErP RED

Wi Fi

• **RGB+CCT+DIM-** You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly.
• **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
• **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
• **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
• **Music Mode-** Changeable with music.
• **Garantee-** 2years.

Wi Fi

• **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.

• **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.

• **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

• **IP54 waterproof & IK08 impact resistance-** It can used in the bathroom directly.

• **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.

• **Music Mode-** Changeable with music.

• **Garantee-** 2years.

CE ✓RoHS ErP RED

Specifications

Voltage: 185-265V	Material: PC+PC
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-CE2003C-15W2-WF2	Wifi	15W	1350lm	Ø220*50mm
Smart-CE2003C-18W2-WF2	Wifi	18W	1530lm	Ø280*50mm
Smart-CE2003C-24W2-WF2	Wifi	24W	2000lm	Ø330*50mm

Ceiling Lights · CCT · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-CE2004C-15W2-WF2	Wifi	15W	1350lm	220*220*50mm
Smart-CE2004C-18W2-WF2	Wifi	18W	1530lm	280*280*50mm
Smart-CE2004C-24W2-WF2	Wifi	24W	2000lm	330*330*50mm

ERIK C concepts | www.erikcc.com

WiFi

- **RGB+CCT+DIM-** You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **IP54 waterproof & IK08 impact resistance-** It can used in the bathroom directly.
- **Easy installation-** Snap-in type which means easy installation by snap locking the two ends together.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Better design-** Thick and solid design, giving it a higher-quality feel.
- **Garantee-** 2years.

ERIK C concepts | www.erikcc.com

Specifications

Voltage: 185-265V	Material: PC+PC
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · RGB · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2003C-15W2-WF5	Wifi	15W	1350lm	Ø220*50mm
Smart-CE2003C-18W2-WF5	Wifi	18W	1530lm	Ø280*50mm
Smart-CE2003C-24W2-WF5	Wifi	24W	2000lm	Ø330*50mm

Ceiling Lights · RGB · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2004C-15W2-WF5	Wifi	15W	1350lm	220*220*50mm
Smart-CE2004C-18W2-WF5	Wifi	18W	1530lm	280*280*50mm
Smart-CE2004C-24W2-WF5	Wifi	24W	2000lm	330*330*50mm

CE ✓ RoHS ErP RED

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Easy installation-** Snap-in type which means easy installation by snap locking the two ends together.

- **IP54 waterproof & IK08 impact resistance-** It can used in the bathroom directly.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Better design-** Thick and solid design, giving it a higher-quality feel.
- **Garantee-** 2years.

Wi Fi

Specifications

Voltage: 185-265V	Material: PC+PC
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE3030C-18W2-WF2	Wifi	18W	1620lm	Ø280*60mm
Smart-CE3030C-24W2-WF2	Wifi	24W	2160lm	Ø280*60mm
Smart-CE3030C-30W2-WF2	Wifi	30W	2700lm	Ø330*60mm
Smart-CE3030C-36W2-WF2	Wifi	36W	3240lm	Ø330*60mm

CE ✓RoHS ErP RED

ERIK C | www.erikcc.com
concepts

WiFi

- **RGB+CCT+DIM-** You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Better design-** Thick and solid design, giving it a higher-quality feel.
- **Garantee-** 2years.

ERIK C concepts | www.erikcc.com

Specifications

Voltage: 185-265V	Material: PP+PMMA
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · RGB · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2176-18SC-WF5	Wifi	18W	1260lm	Ø300*30mm
Smart-CE2176-24SC-WF5	Wifi	24W	1680lm	Ø420*35mm

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2176-18SC-WF2	Wifi	18W	1260lm	Ø300*30mm
Smart-CE2176-24SC-WF2	Wifi	24W	1680lm	Ø420*35mm

CE ✓RoHS ErP RED

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- **Garantee-** 2years.

WiFi

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2302C-36W2-WFC	Wifi	36W	2160lm	Ø430*80mm
Smart-CE2302C-60W2-WFC	Wifi	60W	3600lm	Ø560*80mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

Wi Fi

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- **Garantee-** 2years.

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM

| Item No.	Type	Wattage	Lumen	Size
Smart-CE1037C-36W2-WFC	Wifi	36W	2160lm	Ø380*100mm
Smart-CE1037C-60W2-WFC	Wifi	60W	3600lm	Ø480*105mm

CE ✓RoHS ErP RED

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- **Garantee-** 2years.

WiFi

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM

| Item No.	Type	Wattage	Lumen	Size
Smart-CE2231C-36W2-WFC	Wifi	36W	2160lm	Ø400*90mm
Smart-CE2231C-60W2-WFC	Wifi	60W	3600lm	Ø500*90mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- **Garantee-** 2years.

WiFi

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9

| Ceiling Lights · CCT · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-CE2230C-36W2-WFC	Wifi	36W	2160lm	Ø400*90mm
Smart-CE2230C-60W2-WFC	Wifi	60W	3600lm	Ø500*90mm

CE RoHS ErP RED

WiFi

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Garantee-** 2years.

Specifications

Voltage: 185-265V	Material: Iron+PVC	
Life time: 25000h	Ra: ≥80	
LED Chip: SMD2835	DF: >0.7	

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2300C-18W2-WF2-G1	Wifi	18W	1260lm	Ø300*60mm
Smart-CE2300C-24W2-WF2-G1	Wifi	24W	1890lm	Ø400*60mm
Smart-CE2300C-18W2-WF5-G1	Wifi	18W	1260lm	Ø300*60mm
Smart-CE2300C-24W2-WF5-G1	Wifi	24W	1890lm	Ø400*60mm

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE2301C-18W2-WF2-G1	Wifi	18W	1260lm	300*300*60mm
Smart-CE2301C-24W2-WF2-G1	Wifi	24W	1890lm	400*400*60mm
Smart-CE2301C-18W2-WF5-G1	Wifi	18W	1260lm	300*300*60mm
Smart-CE2301C-24W2-WF5-G1	Wifi	24W	1890lm	400*400*60mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

WiFi

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- **Multi scene selection-** The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- **Smart control-** Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.

- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- **Music Mode-** Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- **Garantee-** 2years.

Specifications

Voltage: 185-265V	Material: PMMA+Iron
Life time: 25000h	Ra: >80
LED Chip: SMD2835	PF: >0.9

Ceiling Lights · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-CE1065-36W2-WFC	Wifi	36W	2160lm	Ø430*80mm
Smart-CE1065-60W2-WFC	Wifi	60W	3600lm	Ø560*80mm

CE RoHS ErP RED

- **Gesture Control-** Wave your hand over the desk lamp to on/off the light or adjust the brightness steplessly and smoothly without even touch the lamp.
- **Versatile lighting-** 90° + 180° rotation of the cap and 180° rotation of the arm to create a perfect reading angle.
- **Professional Eye Caring-** Emitting soft and comfortable light that is close to the daylight illumination, which can protect your eyes very well.

- **Healthy and Energy Efficient-** Provide a glare-free and flicker-free light for reading, studying and comfortable lighting for relax. Saving up 90% energy compared to traditional lamps.
- **Auto-dimming & Timer-** Auto-dimming: Lights can change automatically with the natural light; Timer: Delay light-off by pressing sleep mode for 3 seconds.

Specifications

Voltage: 100-240V   Material: ABS+PC+PMMA+Alu.

Life time: 25000h   Ra: ≥95

PF: >0.5

Reading Desk Lamps · DIM			
Item No.	Wattage	Lumen	Size
Smart-DEA4013C-18W3-WF	18W	800lm	150*524*56mm

CE RoHS ErP

Wi Fi

- **High-quality-** 98 RA95 lamp beads, make lighting softer.
- **Healthy and Energy Efficient-** Provide a glare-free and flicker-free light for reading, studying and comfortable lighting for relax.
- **Easy control-** Touch slide dimming, aslo can control by smart APP.
- **Versatile lighting-** 90° + 110° rotation of the cap and 62° rotation of the arm to create a perfect reading angle.
- **Automatic dimming-** Automatic dimming by the brightness of ambient.

Specifications

Voltage: 100-240V	Material: ABS+PC+PMMA+Alu.
Life time: 25000h	Ra: ≥95
PF: >0.5	

Reading Desk Lamps · DIM

Item No.	Wattage	Lumen	Size
Smart-DEA5080C-19W3-WF	19W	800lm	204*204*681mm

CE RoHS ErP

- **High quality-** 91 RA95 lamp beads, make lighting softer.
- **Healthy and Energy Efficient-** Provide a glare-free and flicker-free light for reading, studying and comfortable lighting for relax.
- **Easy control-** Touch slide dimming, aslo can control by smart APP.

- **Versatile lighting-** 80° + 160° rotation of the cap and 90° rotation of the arm to create a perfect reading angle.
- **Automatic dimming-** Automatic dimming by the brightness of ambient.

Wi Fi

Specifications

Voltage: 100-240V

Life time: 25000h

PF: >0.5

Material: ABS+PC+PMMA+Alu.

Ra: ≥95

Reading Desk Lamps · DIM			
Item No.	Wattage	Lumen	Size
Smart-DEA5081C-19W3-WF	19W	800lm	204*204*625mm

CE RoHS ErP

zigbee Wi Fi Bluetooth Mesh

- **Convenient Voice Control** - Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.
- **Multiple Control Options** - Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.
- **Bright and Uniform Light Without Spots**
- **Low power** - High light efficiency, high color rendering index (RA>80).
- **Multiple Applications** - Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 110V-220V	Material: PVC
Life time: 20000h	Beam Angle: 120"
LED Source: SMD2835/SMD5050	IP Rating: IP20

LED Light Strip · RGB

Item No.	Wattage	Power	Lumen	Dimension	
Smart-LR412C-7.2WX2-IR-WF-RGB	12W	12V 1A	354±200lm	2m	
Smart-LR412C-7.2WX2-IR-WF-RGB	18W	12V 1.5A	524±200lm	3m	
Smart-LR412C-7.2WX2-IR-WF-RGB	18W	12V 1.5A	650±200lm	5m	

LED Light Strip · CCT

Item No.	Wattage	Power	Lumen	Dimension	
Smart-LR412C-7.2WX2-IRC-WFC	12W	12V 1A	580±60lm	2m	
Smart-LR412C-7.2WX2-IRR-WFC	12W	12V 1A	800±80lm	3m	
Smart-LR412C-7.2WX2-IRR-WFC	18W	12V 1.5A	1100±110lm	5m	

LED Light Strip · RGB+DIM

Item No.	Wattage	Power	Lumen	Dimension	
Smart-LR412C-7.2WX2-IR-WF-RGB-W	12W	12V 1A	575lm±60lm	2m	
Smart-LR412C-7.2WX2-IR-WF-RGB-W	18W	12V 1.5A	827lm±80lm	3m	
Smart-LR412C-7.2WX2-IR-WF-RGB-W	24W	12V 2A	1098lm±100lm	5m	

LED Light Strip · RGB+CCT

Item No.	Wattage	Power	Lumen	Dimension	
Smart-LR412C-7.2WX2-IRR-WFR	12W	12V 1A	540lm±50lm	2m	
Smart-LR412C-7.2WX2-IRR-WFR	12W	12V 1.5A	760lm±80lm	3m	
Smart-LR412C-7.2WX2-IRR-WFR	18W	12V 2A	1000lm±100lm	5m	

ERIK C concepts | www.erikcc.com

CE ErP RoH RED

Wi Fi **Bluetooth Mesh**

· **Convenient Voice Control -** Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.
· **Multiple Control Options -** Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.
· **Bright and Uniform Light Without Spots**
· **Low power -** High light efficiency, high color rendering index (RA>80).
· **Multiple Applications -** Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 220V-240V	Material: PVC
Life time: 20000h	Beam Angle: 120°
LED Source: SMD2835/SMD5050	IP Rating: IP20

LED Light Strip · CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1121-CCT-02-X-TZ	12W	24V 0.5A	580lm±60lm	2m
Smart-LR1121-CCT-03-X-TZ	18W	24V 0.75A	800lm±80lm	3m
Smart-LR1121-CCT-05-X-TZ	24W	24V 1A	1100lm±110lm	5m
Smart-LR1121-CCT-05-X-TZ	36w	24V 1.5A	1100lm±110lm	10m

LED Light Strip · RGB+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGB-02-X-TZ	12W	24V 0.5A	/	2m
Smart-LR1311-RGB-03-X-TZ	18W	24V 0.75A	/	3m
Smart-LR1311-RGB-05-X-TZ	18W	24V 0.75A	/	5m
Smart-LR1311-RGB-10-X-TZ	24W	24V 1A	/	10m
Smart-LR1311-RGB-10-X-TZ	36W	24V 1A	/	10m

LED Light Strip · RGB+W+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGB+W-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
Smart-LR1311-RGB+W-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
Smart-LR1311-RGB+W-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
Smart-LR1311-RGB+W-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
Smart-LR1311-RGB+W-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

LED Light Strip · RGB+CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGBCCT-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
Smart-LR1311-RGBCCT-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
Smart-LR1311-RGBCCT-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
Smart-LR1311-RGBCCT-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
Smart-LR1311-RGBCCT-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

CE ErP RoHS RED

ERIK C | www.erikcc.com
concepts

WiFi

· **Convenient Voice Control -** Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.
· **Multiple Control Options** - Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.
· **Bright and Uniform Light Without Spots**
· **Low power** - High light efficiency, high color rendering index (RA>80).
· **Multiple Applications -** Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 220V-240V	Material: PVC
Life time: 20000h	Beam Angle: 120°
LED Source: SMD2835/SMD5050	IP Rating: IP20

LED Light Strip · RGB

Item No.	Wattage	Power	Lumen	Dimension	
ST-LR431C-7.2X6IRWFIC3-G1-2M	12W	24V 0.5A	/	2m	
ST-LR431C-7.2X6IRWFIC3-G1-3M	18W	24V 0.75A	/	3m	
ST-LR431C-7.2X6IRWFIC3-G1-5M	24W	24V 1A	/	5m	
ST-LR431C-7.2X6IRWFIC3-G1-10M	36w	24V 1.5A	/	10m	

LED Light Strip · RGB

Item No.	Wattage	Power	Lumen	Dimension	
ST-LR432C-7.2X6IRWFIC4-G1-2M	12W	24V 0.5A	575lm±60lm	2m	
ST-LR432C-7.2X6IRWFIC4-G1-3M	18W	24V 0.75A	827lm±80lm	3m	
ST-LR432C-7.2X6IRWFIC4-G1-5M	24W	24V 1A	1048lm±20lm	5m	
ST-LR432C-7.2X6IRWFIC4-G1-10M	36W	24V 1.5A	1048lm±20lm	10m	

LED Light Strip · RGB

Item No.	Wattage	Power	Lumen	Dimension	
ST-LR432C-7.2X6IRWFIC4-G2-2M	12W	24V 0.5A	575lm±60lm	2m	
ST-LR432C-7.2X6IRWFIC4-G2-3M	18W	24V 0.75A	827lm±80lm	3m	
ST-LR432C-7.2X6IRWFIC4-G2-5M	24W	24V 1A	1048lm±20lm	5m	
ST-LR432C-7.2X6IRWFIC4-G2-10M	36W	24V 1.5A	1048lm±20lm	10m	

LED Light Strip · RGB+CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension	
ST-LR432C-7.2X6IRWFIC5-G1-2M	12W	24V 0.5A	540lm±50lm	2m	
ST-LR432C-7.2X6IRWFIC5-G1-3M	18W	24V 0.75A	760lm±80lm	3m	
ST-LR432C-7.2X6IRWFIC5-G1-5M	24W	24V 1A	1000lm±100lm	5m	
ST-LR432C-7.2X6IRWFIC5-G1-10M	36W	24V 1.5A	1000lm±100lm	10m	

CE ErP RoH RED

Wi Fi **Bluetooth Mesh**

· **Convenient Voice Control** - Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.

· **Multiple Control Options** - Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.

· **Bright and Uniform Light Without Spots**

· **Low power** - High light efficiency, high color rendering index (RA>80).

· **Multiple Applications** - Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 220V-240V	Material: PVC
Life time: 20000h	Beam Angle: 120°
LED Source: SMD2835/SMD5050	IP Rating: IP20

LED Light Strip · CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1121-CCT-02-X-TZ	12W	24V 0.5A	580lm±60lm	2m
Smart-LR1121-CCT-03-X-TZ	18W	24V 0.75A	800lm±80lm	3m
Smart-LR1121-CCT-05-X-TZ	24W	24V 1A	1100lm±110lm	5m
Smart-LR1121-CCT-10-X-TZ	36w	24V 1.5A	1100lm±110lm	10m

LED Light Strip · RGB+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGB-02-X-TZ	12W	24V 0.5A	/	2m
Smart-LR1311-RGB-03-X-TZ	18W	24V 0.75A	/	3m
Smart-LR1311-RGB-05-X-TZ	18W	24V 0.75A	/	5m
Smart-LR1311-RGB-10-X-TZ	24W	24V 1A	/	10m
Smart-LR1311-RGB-10-X-TZ	36W	24V 1A	/	10m

LED Light Strip · RGB+W+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGB+W-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
Smart-LR1311-RGB+W-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
Smart-LR1311-RGB+W-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
Smart-LR1311-RGB+W-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
Smart-LR1311-RGB+W-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

LED Light Strip · RGB+CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
Smart-LR1311-RGBCCT-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
Smart-LR1311-RGBCCT-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
Smart-LR1311-RGBCCT-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
Smart-LR1311-RGBCCT-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
Smart-LR1311-RGBCCT-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

CE ErP RoH RED

ERIK C concepts | www.erikcc.com

Ⓩ zigbee **Wi Fi** **Bluetooth Mesh**

· **Convenient Voice Control** - Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.
· **Multiple Control Options** - Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.
· **Bright and Uniform Light Without Spots**
· **Low power** - High light efficiency, high color rendering index (RA>80).
· **Multiple Applications** - Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 220V-240V	Material: PVC
Life time: 20000h	Beam Angle: 120°
LED Source: SMD2835/SMD5050	IP Rating: IP20

LED Light Strip · CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
ZIGBEE-LR1121-CCT-02-X-TZ	12W	24V 0.5A	580lm±60lm	2m
ZIGBEE-LR1121-CCT-03-X-TZ	18W	24V 0.75A	800lm±80lm	3m
ZIGBEE-LR1121-CCT-05-X-TZ	24W	24V 1A	1100lm±110lm	5m
ZIGBEE-LR1121-CCT-10-X-TZ	36w	24V 1.5A	1100lm±110lm	10m

LED Light Strip · RGB+DIM

Item No.	Wattage	Power	Lumen	Dimension
ZIGBEE-LR1311-RGB-02-X-TZ	12W	24V 0.5A	/	2m
ZIGBEE-LR1311-RGB-03-X-TZ	18W	24V 0.75A	/	3m
ZIGBEE-LR1311-RGB-05-X-TZ	18W	24V 0.75A	/	5m
ZIGBEE-LR1311-RGB-10-X-TZ	24W	24V 1A	/	10m
ZIGBEE-LR1311-RGB-10-X-TZ	36W	24V 1A	/	10m

LED Light Strip · RGB+W+DIM

Item No.	Wattage	Power	Lumen	Dimension
ZIGBEE-LR1311-RGB+W-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
ZIGBEE-LR1311-RGB+W-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
ZIGBEE-LR1311-RGB+W-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
ZIGBEE-LR1311-RGB+W-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
ZIGBEE-LR1311-RGB+W-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

LED Light Strip · RGB+CCT+DIM

Item No.	Wattage	Power	Lumen	Dimension
ZIGBEE-LR1311-RGBCCT-02-X-TZ	12W	24V 0.5A	575lm±60lm	2m
ZIGBEE-LR1311-RGBCCT-03-X-TZ	18W	24V 0.75A	827lm±80lm	3m
ZIGBEE-LR1311-RGBCCT-05-X-TZ	24W	24V 1A	1048lm±20lm	5m
ZIGBEE-LR1311-RGBCCT-05-X-TZ	18W	24V 0.75A	1048lm±20lm	5m
ZIGBEE-LR1311-RGBCCT-10-X-TZ	36W	24V 1.5A	1048lm±20lm	10m

ERIK C concepts | www.erikcc.com

CE ⚠ ErP RoH✓ RED

WiFi | **Bluetooth Mesh**

· **Convenient Voice Control** - Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.

· **Multiple Control Options** - Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.

· **Bright and Uniform Light Without Spots**

· **Low power** - High light efficiency, high color rendering index (RA>80).

· **Multiple Applications** - Can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, parties, and more.

Specifications

Voltage: 220V-240V	RA: >80
Life time: 20000h	Beam Angle: 120°
PF: 0.5/0.9	IP Rating: IP20

LED Light Strip

Item No.	Wattage	Power	Lumen	Dimension
LRCOB-336-TZ-2	18W	24V 0.75A	640LM/M	2m
LRCOB-336-TZ-3	24W	24V 1A	640LM/M	3m
LRCOB-336-TZ-5	36W	24V 1.5A	640LM/M	5m
LRCOB-352-TZ-2	18W	24V 0.75A	720LM/M	2m
LRCOB-352-TZ-3	24W	24V 1A	720LM/M	3m
LRCOB-352-TZ-5	36W	24V 1.5A	720LM/M	5m
LRCOB-504-TZ-2	18W	24V 0.75A	900LM/M	2m
LRCOB-504-TZ-3	36W	24V 1A	900LM/M	3m
LRCOB-504-TZ-5	48W	24V 2A	900LM/M	5m

LED Light Strip · CCT

Item No.	Wattage	Power	Lumen	Dimension
LRCOB-640-CCT-TZ-2	18W	12V 1A	700LM/M	2m
LRCOB-640-CCT-TZ-3	24W	12V 1A	700LM/M	3m
LRCOB-640-CCT-TZ-5	36W	12V 1.5A	700LM/M	5m

LED Light Strip · RGB/RGB+W

Item No.	Wattage	Power	Lumen	Dimension
LRCOB-840-RGB-TZ-2	24W	24V 1A	/	2m
LRCOB-840-RGB-TZ-3	36W	24V 1.5A	/	3m
LRCOB-840-RGB-TZ-5	48W	24V 2A	/	5m
LRCOB-896-RGB+W-TZ-2	24W	24V 1A	/	2m
LRCOB-896-RGB+W-TZ-3	36W	24V 1.5A	/	3m
LRCOB-896-RGB+W-TZ-5	48W	24V 2A	/	5m

CE ErP RoH RED

ERIK C concepts | www.erikcc.com

Wi-Fi   **Bluetooth Mesh**

· **Light Control is Getting Easier** - You can conveniently control the lights according to your needs via smart phone.
· **Music Mode** - The color of the light will change with the music, allowing you to experience more interesting scenes, and let the music make life more rhythmic.
· **Compact and Convenient** - Suitable for application requirements in various scenarios, such as gaming, party, festivals, work, and so on.

Specifications

Voltage: 220-240V	Material: PA
Life time: 30000h	Ra: >80
PF: 0.5	IP: 20

LED Downlights · RGB

Item No.	Wattage	Lumen	Size
Smart-LR1321-RGB-IC-C	12W	/	Ø1.4m

LED Downlights · RGB+W

Item No.	Wattage	Lumen	Size
Smart-LR1321-RGBW-IC-C	12W	400lm	Ø1.4m

LED Downlights · RGB

Item No.	Wattage	Lumen	Size
Smart-LR1321-RGBCCT-IC-C	12W	400lm	Ø1.4m

1.4m

0.4m

ERIK C concepts | www.erikcc.com

CE RoHS ErP RED

WiFi **Bluetooth Mesh**

- **Light Control is Getting Easier** - You can conveniently control the lights according to your needs via smart phone.
- **Music Mode** - The color of the light will change with the music, allowing you to experience more interesting scenes, and let the music make life more rhythmic.
- **Compact and Convenient** - Suitable for application requirements in various scenarios, such as gaming, party, festivals, work, and so on.

Specifications

Voltage: 5V/220V	Beam Angle: 120°
Life time: 30000h	Dimension: 30/55/120cm
PF: 0.5	IP: 20

LED Downlights · RGB

Item No.	Type	Wattage	Size
ST-LR4311-RGB-TB-5V-BL-300mm	Bluetooth	/	Ø300*30*30mm
ST-LR4311-RGB-TB-5V-BL-550mm	Bluetooth	/	Ø550*30*30mm
ST-LR4311-RGB-TB-12V-BL-1200mm	Bluetooth	36W	Ø1200*30*30mm

LED Downlights · RGB

Item No.	Type	Wattage	Size
ST-LR4311-RGB-TB-5V-BL-300mm	Wifi	/	Ø300*30*30mm
ST-LR4311-RGB-TB-5V-BL-550mm	Wifi	/	Ø550*30*30mm
ST-LR4311-RGB-TB-12V-BL-1200mm	Wifi	36W	Ø1200*30*30mm

35mm   55mm   1200mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

- **Light Control is Getting Easier** - You can conveniently control the lights according to your needs via smart phone.
- **Music Mode** - The color of the light will change with the music, allowing you to experience more interesting scenes, and let the music make life more rhythmic.
- **Compact and Convenient** - Suitable for application requirements in various scenarios, such as gaming, party, festivals, work, and so on.

Specifications

Voltage: 5V	Beam Angle: 360°
Life time: 30000h	Dimension: 310*65*65mm
PF: 1	IP: 20

LED Downlights · RGB

| Item No.	Type	Wattage	Size
ST-LR4311-RGBIC-TB-BL-5V	Bluetooth	/	Ø310*65*65mm
ST-LR4311-RGBWIC-TB-BL-5V	Bluetooth	/	Ø310*65*65mm

LED Downlights · RGB

Item No.	Type	Wattage	Size
ST-LR4311-RGBIC-TB-WF-5V	Wifi	/	Ø310*65*65mm
ST-LR4311-RGBWIC-TB-WF-5V	Wifi	/	Ø310*65*65mm

ERIK C concepts | www.erikcc.com

CE RoHS ErP RED

zigbee **WiFi** **Bluetooth**

- **APP CONTROL-** The timer function is wonderful. You can schedule your lampes to turn on or off automatically at a pre-set time. Simple operation, smarter, more modes than traditional remote control.
- **GROUP MANAGE -** The panel offers the function of group manage, it's very convenience and useful when you want panel change into different colors by group control and create a romantic/relax/lively surrounding.
- **MULTIPURPOSE -** These LED ceiling lights are designed for both residential and commercial suspended grid ceilings. They can be used for office lighting, basement lighting, gym lighting, school lighting, hospital lighting, and more!

Bottom glow

Specifications

|	
Voltage: 220-240V	Material: Alu.+PS
Life time: 50000h	Ra: ≥80
PF: >0.9	Beam Angle: 120°

LED Panel Lights · RGB+CCT

Item No.	Type	Lumen	Size
Smart-PL209C-30W2-WFR	Remote+APP	2100lm	450*450mm
Smart-PL209C-40W2-WFR	Remote+APP	3200lm	595*595mm
Smart-PL209C-40W2-WFR	Remote+APP	3200lm	295*1195mm

LED Panel Lights · CCT

Item No.	Type	Lumen	Size
Smart-PL206C-30W2-WFC	Remote+APP	2400lm	450*450mm
Smart-PL206C-40W2-WFC	Remote+APP	3200lm	595*595mm
Smart-PL206C-40W2-WFC	Remote+APP	3200lm	295*1195mm

CE   ErP   RoH   RED

ERIK C | www.erikcc.com
concepts

zigbee **WiFi** **Bluetooth Mesh**

· **With TUYA smart chips-** You can easily tailor your lighting plan to suit the occasion and your mood.
· **Multi-installation methods -** Ceiling, suspended mounting and suction cup installation.

Specifications

Type: Wifi+Bluetooth	Wattage: 40W
Life time: 50000h	Ra: ≥80
PF: >0.9	Beam Angle: 120°

LED Fixtures · CCT

Item No.	Material	Type	Lumen	Size
Smart-LU192-40W2-WFC	Alu.+pc	Wifi	3000lm	1170*75*75mm

CE RoHS ErP RED ETL

zigbee **Wi Fi** **Bluetooth Mesh**

- **With TUYA smart chips-** You can easily tailor your lighting plan to suit the occasion and your mood.
- **Multi-installation methods -** Ceiling, suspended mounting and suction cup installation.
- **Emergency Function-** Built-in backup battery provides more than 3 hours of emergency operation during a power outage.

Specifications

Type: Wifi+Bluetooth	Wattage: 40W
Life time: 50000h	Ra: ≥80
PF: >0.9	Beam Angle: 120°

LED Fixtures · CCT

Item No.	Material	Type	Lumen	Size
Smart-LU225-40W2-WFC	iron+pc	Wifi	4000lm	1120*85*50mm

CE RoHS ErP RED

ERIK C concepts | www.erikcc.com

· **APP & Voice control-** Control your smart lighting via your voice with Alexa, Google Assistant and so on. Free app allows you to control the smart downlight remotely on your smartphone, even switch your downlight to specific color temperatures as you need, make your life more convenient and interesting.

· **SMD imitates cob-** Which has more uniform heat dissipation and higher cost performance.

· **Reflect cup design-** Make the light uniform without spots, and the angle is 60°.

· **Quality Assurance-** All plastic body, more safer. Built-in heat dissipation aluminum cup, excellent heat dissipation, can increase working life. CE, IC-4, SAA approved.

Specifications

Voltage: 220-240V	Material: PA
Life time: 30000h	Ra: ≥80
PF: >0.9	IP Rating: IP44-IP22

LED Downlights · CCT

Item No.	Wattage	Lumen	Size
Smart-AL222C-6W2-WFC	6W	480lm	Ø95*57mm
Smart-AL222C-9W2-WFC	9W	720lm	Ø110*58mm

WiFi **Bluetooth Mesh**

· **Can be easily controlled by APP for more occasions.**
· **PA housing**- Built-in heat dissipation aluminum cup, excellent heat dissipation.
· **7W~24W**- 3 inches to 8 inches full range, to meet all the mainstream size needs of Europe and Australia.
· **Easy Installation**- Equipped with 4 connecting terminal, double loop in and loop out, convenient to use the lamps in series.
· **Quality Assurance** - CE, CB, IC-4, SAA, ROHS approved.

Specifications

Voltage: 220-240V	Material: PA
Life time: 30000h	Ra: ≥80
PF: >0.5	IP Rating: IP44-IP22

LED Downlights · RGB+CCT

Item No.	Wattage	Lumen	Size
Smart-AL221C-7W2-WFR	7W	700lm	Ø95*57mm
Smart-AL221C-10W2-WFR	10W	1000lm	Ø110*58mm
Smart-AL221C-15W2-WFR	15W	1500lm	Ø145*64mm
Smart-AL221C-18W2-WFR	18W	1800lm	Ø175*67mm
Smart-AL221C-24W2-WFR	24W	2400lm	Ø225*78mm

LED Downlights · CCT

Item No.	Wattage	Lumen	Size
Smart-AL221C-7W2-WFC	7W	700lm	Ø95*57mm
Smart-AL221C-10W2-WFC	10W	1000lm	Ø110*58mm
Smart-AL221C-15W2-WFC	15W	1500lm	Ø145*64mm
Smart-AL221C-18W2-WFC	18W	1800lm	Ø175*67mm
Smart-AL221C-24W2-WFC	24W	2400lm	Ø225*78mm

CE RoHS ErP RED

ERIK C° concepts | www.erikcc.com

WiFi **Bluetooth Mesh**

· **Good Heat Dissipation**- Die-cast aluminum with radiator, high thermal conductivity, light and durable appearance.
· **Intelligent Control** - Use mobile phone to control ON/OFF, brightness, various mode and color temperature.
· **Wide Application** - Can be used for lighting in cabinets, living rooms, bars, coffee shops, clothing stores, hotels, restaurants, etc.

Specifications

Type: Wifi+Bluetooth	Material: ALU+ABS
Life time: 20000h	Ra: 80
PF: 0.5	Beam Angle: 24°

LED Guiding Light

Item No.	Wattage	Type	Lumen	Size
smart-TL2016-10W	10W	Wifi+Bluetooth	800lm	Φ54*135
smart-TL2016-20W	20w	Wifi+Bluetooth	1600lm	Φ68*160
smart-TL2016-30W	30W	Wifi+Bluetooth	2400lm	Φ78*180

Wi Fi

· **Hassle-Free Control**- Work with WiFi, could be controlled via app on your smartphone.
· **8 Lighting Modes**- You can get 8 unique lighting modes, including bright, gradually, star, flower, marquee, fireworks, meteor and stream, to satisfy your various needs.
· **Dance With Music**- can dance the lights along with beats of music

Specifications

Voltage: 100-240V	Material: PVC
Life time: 20000h	Emitting Color: RGB
Beam Angle: 270°	IP Rating: IP44

LED Strip Light · RGB+CCT

Item No.	LED Qty	Wattage	Dimension
Smart-LD3003C-12W3-WFR	180LED	8.4W	20.9m/Roll
Smart-LD3003C-12W3-WFR	102LED	8.4W	13.2m/Roll

CE RoHS ErP RED ETL

ERIK C concepts | www.erikcc.com

Wi Fi

· **8 flash modes & memory function**- Good to fit different occasions, moods, feelings, holidays, festivals, anniversaries, etc.
· **Dance with music**- Select music mode, change colors and speeds based on rhythm.
· **Amazing decorative lights**- Giving you customizable ambiance. Click through the various options, that vary in rhythm and sequence, to match your mood.

Specifications

Voltage: 100-240V	Material: PVC
Life time: 20000h	Emitting Color: 3000K/6500K/colorful
Beam Angle: 270°	IP Rating: IP44

LED Strip Light · DIM

Item No.	LED Qty	Wattage	Dimension
Smart-LD3001C-6W3-WF	200LED	3.6W	22.9m/Roll
Smart-LD3001C-6W3-WF	100LED	3.6W	12.9m/Roll

CE ✓RoHS ErP ⚠ RED ⒺⓉⓁ

WiFi

· **APP control**- equipped with TUYA smart chips, which can control the color and lighting mode of the lamp. This multi-color and variety of different patterns adorn all your special occasions, creating an amazing visual impact.

· **Durable wires and bulbs**- our string lights are made of IP44 waterproof, acrylic cover and heavy wire materials. The design of high-grade decorative light strings can withstand harsh weather conditions. It will withstand all kinds of harsh weather and provide years of enjoyment.

· **Ideal decorative lamp**- adopts a variety of color lighting and lighting methods to provide you with a soft and romantic atmosphere in parties, weddings, birthdays, festivals, anniversaries and other occasions. It is very suitable for balconies, gardens, decks, backyards, porches, balconies, cafes, restaurants, etc. to create the best atmosphere and beautiful lighting show.

Specifications

Voltage: 100-240V	Material: PVC+Acrylic
Life time: 20000h	Emitting Color: RGBCW
Beam Angle: 180°	IP Rating: IP44

LED Strip Light · RGB+CCT			
Item No.	Bulb Qty	Wattage	Dimension
Smart-LD31302C-6W3-WFR	12pcs	6W	7.3m/Roll
Smart-LD31302C-9W3-WFR	18pcs	9W	11m/Roll
Smart-LD31302C-12W3-WFR	24pcs	12W	14.6m/Roll

CE ✓RoHS ErP RED ETL

ERIK C concepts | www.erikcc.com

68

WiFi

- **APP control-** equipped with TUYA smart chips, which can control the color and lighting mode of the lamp. This multi-color and variety of different patterns adorn all your special occasions, creating an amazing visual impact.
- **Durable wires and bulbs-** our string lights are made of IP44 waterproof, PC cover and heavy wire materials. The design of high-grade decorative light strings can withstand harsh weather conditions. It will withstand all kinds of harsh weather and provide years of enjoyment.
- **Ideal decorative lamp-** adopts a variety of color lighting and lighting methods to provide you with a soft and romantic atmosphere in parties, weddings, birthdays, festivals, anniversaries and other occasions. It is very suitable for balconies, gardens, decks, backyards, porches, balconies, cafes, restaurants, etc. to create the best atmosphere and beautiful lighting show.

Specifications

Voltage: 100-240V	Material: PVC+PC
Life time: 20000h	Emitting Color: RGBCW
Beam Angle: 180°	IP Rating: IP44

LED Strip Light · RGB+CCT			
Item No.	Bulb Qty	Wattage	Dimension
Smart-LD31303C-4W3-WFR	12pcs	4W	7.3m/Roll
Smart-LD31303C-6W3-WFR	18pcs	6W	11m/Roll
Smart-LD31303C-8W3-WFR	24pcs	8W	14.6m/Roll

CE ✓RoHS ErP RED ETL

Wi Fi

· **APP control-** equipped with TUYA smart chips, which can control the color and lighting mode of the lamp. This multi-color and variety of different patterns adorn all your special occasions, creating an amazing visual impact.
· **Durable wires and bulbs-** our string lights are made of IP44 waterproof, acrylic cover and heavy wire materials. The design of high-grade decorative light strings can withstand harsh weather conditions. It will withstand all kinds of harsh weather and provide years of enjoyment.
· **Ideal decorative lamp-** adopts a variety of color lighting and lighting methods to provide you with a soft and romantic atmosphere in parties, weddings, birthdays, festivals, anniversaries and other occasions. It is very suitable for balconies, gardens, decks, backyards, porches, balconies, cafes, restaurants, etc. to create the best atmosphere and beautiful lighting show.

Specifications

Voltage: 100-240V	Material: PVC+Acrylic
Life time: 20000h	Emitting Color: RGBCW
Beam Angle: 180°	IP Rating: IP44

LED Strip Light · RGB+CCT

Item No.	Bulb Qty	Wattage	Dimension
Smart-LD31304C-4W3-WFR	12pcs	4W	7.3m/Roll
Smart-LD31304C-6W3-WFR	18pcs	6W	11m/Roll
Smart-LD31304C-8W3-WFR	24pcs	8W	14.6m/Roll

CE RoHS ErP RED ETL

180°

- CCT
- 180 ° adjustable angle to illuminate the area you want.
- MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.
WEATHER RESISTANT: meet IP65, adaptable to various weather conditions.
- Remote Control - you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.

- Voice Control - the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/off, dimming and changing color.
- Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.

WiFi **Bluetooth Mesh**

Specifications

Voltage: 220-240V	Material: Die-casting Aluminium; PC Lampshade (against UV)
CRI: ≥80	LED Chip: SMD2835
PF: ≥0.9	Color temperature: 2700-6500K
IP Rating: IP65	Body Color: Black/Gray/White

LED Wall Lamp · CCT · DIM

Item No.	Type	Wattage	Lumen	Size
Smart-WL531-WIFI	Wifi	11W	300lm	223*130*105mm
Smart-WL531-BLE	Bluetooth	11W	300lm	223*130*105mm

ERIK C concepts | www.erikcc.com

CE emc

WiFi *Bluetooth Mesh

• CCT
• MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.
WEATHER RESISTANT: meet IP65, adaptable to various weather conditions.
• Remote Control - you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.
• Voice Control - the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/off, dimming and changing color.
• Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.

Specifications

Voltage: 220-240V	Material: Die-casting Aluminium; PC Lampshade (against UV)
CRI: >80	LED Chip: SMD2835
PF: ≥0.9	Color temperature: 2700-6500K
IP Rating: IP65	Body Color: Black/Gray/White

LED Wall Lamp · CCT

Item No.	Type	Wattage	Lumen	Size
Smart-WL532-WIFI	Wifi	11W	800lm	270*100*58mm
Smart-WL532-BLE	Bluetooth	11W	800lm	270*100*58mm

CE emc

ERIK C | www.erikcc.com
concepts

WiFi **Bluetooth Mesh**

• CCT
• MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.
WEATHER RESISTANT: meet IP65, adaptable to various weather conditions.
• Remote Control - you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.
• Voice Control - the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/off, dimming and changing color.
• Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.

Specifications

Voltage: 220-240V	Material: Die-casting Aluminium; PC Lampshade (against UV)
CRI: ≥80	LED Chip: SMD2835
PF: ≥0.9	Color temperature: 2700-6500K
IP Rating: IP65	Body Color: Black/Gray/White

LED Wall Lamp · CCT

Item No.	Type	Wattage	Lumen	Size
Smart-WL533-BLE	Bluetooth	11W	800lm	118*222*65.5mm
Smart-WL533-WIFI	Wifi	11W	800lm	118*222*65.5mm

ERIK C concepts | www.erikcc.com

CE emc

- Bluetooth, RGB for more occasions
- LED solar spike light, rechargeable and adjustable solar wall lights/ In-Ground Lights, easy to install with no tools. Waterproof and Durable, withstand all kinds of weather all round the year.
- Fully Adjustable Light & Solar Panel - Adjust the light angle to illuminate the perfect spot and adjust the solar panel angle for optimum sun exposure.

- 2 in 1 Functions - Stick into the ground/ mount on the wall.
- Unique solution in landscape and outdoor lighting. Powered by a lithium ion rechargeable battery that's solar powered.
- Automated Switch - Auto on at night / Auto off at sunrise. Light up 8-10 hours after fully charged.

Bluetooth Mesh

Specifications

LED Chip: SMD5050	Charging Time: 6-8 hrs
Color temperature: RGB	Working Time: 8-10 hrs
Battery: 18650 3.7V 1800mah	Material: ABS
Solar Panel: 5.5V 1.5W	IP Rating: IP65

LED Solar Spike Light · RGB

Item No.	Type	Wattage	Lumen	Size
Smart-IL223-BLE	Bluetooth	7W	/	340*270*100mm

✦Bluetooth Mesh

• Solar Powered Led Lights with 4 LED Heads : From lighting a pathway to illuminating your house number, great for your outdoor or landscaping needs. And because they're solar powered, they're safe, environmentally friendly, and highly cost effective!

• **Dusk-to-dawn Light**: Automatically turns on at dusk and off at dawn to save energy.
• **Easy Installation:** You don't need to be an electrician to achieve professional-quality results! Simply stick the unit's spike into the ground and you have a secure, tool-free installation.

Specifications

|	
LED Chip: power LED	Charging Time: 6-8 hrs
Color temperature: RGB/W	Working Time: 8-10 hrs
Battery: 18650 3.7V 1800mah	Material: ABS+ die-casting Alu.
Solar Panel: 5.5V 1.5W	IP Rating: IP54

LED Solar Spike Light · RGB

Item No.	Type	Wattage	Solar Panel size	Light Size
Smart-GL325L-20WX8-BLR	Bluetooth	4*5W	120*120*180mm	Ø20*65mm

LED Solar Spike Light · W

Item No.	Type	Wattage	Solar Panel size	Light Size
Smart-GL325L-20WX8-BLW	Bluetooth	4*5W	120*120*180mm	Ø20*65mm

✓ RoHS   **RED**

600mm

800mm

1000mm

Specifications

Voltage: 85-265Vac 50/60Hz	Material: Alu + PC Lampshade (against UV)
LED Type: SMD2835 14LEDs	PF: >0.9 flicker free
Color Temp: 2700K-6500K	IP Rating: IP65
CRI: >80	Body Color: Black/Gray/White

Wi Fi

• Customize the light up your yard as you wish by APP.
• Good quality and durable: Flicker free, made of Alu and PC Lampshade that can against UV.
• Waterproof rating is IP65, can withstand a variety of harsh weather conditions. It is ideal for lighting outdoor space.
• Contracted outdoor lawn lamp, soft and bright comfortable light. Give the outdoor courtyard a warm feeling. Let a person indulge in inside.

LED Lawn Light · CCT

Item No.	Type	Wattage	Lumen	Size
Smart-GL1990-60-WIFI	Wifi	7W	Max.500lm	90*140*600mm
Smart-GL1990-80-WIFI	Wifi	7W	Max.500lm	90*140*800mm
Smart-GL1990-100-WIFI	Wifi	7W	Max.500lm	90*140*1000mm

CE emc

ERIK C | www.erikcc.com
concepts

Wi Fi

- **Support Voice/ App/Group Control**- Work with Amazon Alexa(Echo/Dot/Tap) and Google Assistant. Compatible with Android & iOS. What's more, you can group lights and control them with a simple tap on App and a voice command.
- **Timer & Dimming**- Set schedules to automatically turn on and off the light as routines. Adjust the brightness from 0-100% to fit for different lighting occasions. Memory function is available. Last settings will be saved for a quick access next time, to make daily life much more convenient.
- **Color Change Sync to Music & Multiple Modes**- The smart flood light can change colors according to rhythm of music melody. It have 16 million colors and 20 modes to choose. Perfect for festival decorative.
- **Easy Operation & Connect**- Connect is pretty easy and takes only a few minutes with the help of the detailed guide on manual. You only need to enter the app, the floodlights quickly connected to your phone and controlled by your phone, Up to IP65, so in winter or rainy days, you can also use it and you also don't have to go out to control these outdoor led lights.

Specifications

Voltage: 220-240V	Material: Alu.+Glass
Life time: 30000h	Ra: >80
LED Chip: SMD2835+SMD5050	Angle: 110°
Waterproof: IP65	

LED Fooldlight · RGB · CCT

Item No.	Type	Wattage	Lumen	Size
LG189C-15W2-WF2	Wifi	15W	1250lm	175*136*25mm
LG189C-30W2-WF2	Wifi	30W	2550lm	175*135*25mm
LG189C-50W2-WF2	Wifi	50W	4250lm	210*163*28mm

LED Fooldlight · RGB · CCT/PIR

Item No.	Type	Wattage	Lumen	Size
LG189WF-15w-RGB+CCT-Tuya-G1	Wifi	15W	1250lm	176*136*25.5mm
LG189BL-15w-RGB+W-Tuya-G1	Bluetooth	15W	1250lm	176*136*25.5mm
LG189WF-15w-FYI-CCT-Tuya-G1	Wifi	15W	1250lm	133*180*46mm

LED Fooldlight · RGB ·W

| Item No.	Type	Wattage	Lumen	Size
LG189BL-3*15w-RGB+W-Tuya-G1	Bluetooth	3*15W	1250lm	176*136*25.5mm

ERIK C concepts | www.erikcc.com

CE ErP emc

- Support Voice/App/Group Control - Work with Amazon Alexa(Echo/Dot/Tap) and Google Assistant. Compatible with Android & iOS. What's more, you can group lights and control them with a simple tap on App and a voice command.
- SENS: Adjust the sensitivity of the sensor of the human body. Detection distance: up to 8 meters.
TIME: Set the light duration from 12 seconds to 420 seconds. " + " for 7 min, " - " for 12s.
LUX: Switch to "SUN" the sensor works 24 hours a day; to "MOON" , the sensor only works at night.

- Easy Operation & Connect- Connect is pretty easy and takes only a few minutes with the help of the detailed guide on manual. You only need to enter the app, the floodlights quickly connected to your phone and controlled by your phone.

Color temperature conversion

Specifications

Voltage: 220-240V	Material: Alu.+Glass
Life time: 30000h	Ra: ≥80
LED Chip: SMD2835	Angle: 110°
Waterproof: IP44	

LED Fooldlight · CCT · PIR

Item No.	Type	Wattage	Lumen	Size
Smart-LG189C-15W2-WF2-PIR	Wifi	15W	1250lm	134*180*46mm
Smart-LG189C-30W2-WF2-PIR	Wifi	30W	2550lm	174*212*45mm
Smart-LG189C-50W2-WF2-PIR	Wifi	50W	4250lm	209*237*47mm

ERIK C | www.erikcc.com
concepts